

Bibliographie

- [1] **Akhiezer N.I.** : Elements of the theory of elliptic functions, AMS Translations of mathematical monographs, 79, 1990.
- [2] **Al-Gwaiz M.A.** : Sturm-Liouville theory and its applications, Springer Undergraduate Mathematics Series ISSN, pp. 1615-2085.
- [3] **Alikakos, N.D., Fusco, G.** : Slow dynamics for the Cahn-Hilliard equation in higher space dimensions. I. Spectral estimates. Commun. Partial Differ Equ 19(9–10),1994, pp. 1397–1447.
- [4] **Allen S. M. and Cahn J. w.** : A microscopic theory for antiphase boundary motion and its application to antiphase domain coarsening, Acta Metall, 27, 1979,pp. 1085-1095.
- [5] **Bates P.W., Brown S. and Han J. L.** : Numerical analysis for a nonlocal Allen-Cahn equation, Int. J. Numer. Anal. Model. 6, 2009, pp. 33–49.
- [6] **Brunovský P., Fiedler B.** : Connecting orbits in scalar reaction diffusion equations. II. The complete solution, J. Differential Equations 81 (1),1989,pp. 106–135
- [7] **Carr J., Pego R.L.** : Metastable patterns in solutions of $u_t = \varepsilon^2 u_{xx} - f(u)$, Comm. Pure Appl. Math. 42 (5),1989,pp. 523–576.
- [8] **Chafee N., Infante E.F.** : A bifurcation problem for a nonlinear partial differential equation of parabolic type, Appl. Anal. 4, 1974/75, pp.17–37.
- [9] **Chen, X.** : Spectrum for the Allen-Cahn, Cahn-Hilliard, and phase-field equations for generic interfaces. Commun. Partial Differ Equ 19(7–8),1994, pp.1371–1395 .

- [10] **Choi J.W., Lee H.G., Jeong D. and Kim J.** : An unconditionally gradient stable numerical method for solving the Allen-Cahn equation, *Physica A* 388, 2009, pp. 1791–1803.
- [11] **Denis B., Lufs S.** : Heteroclinic orbits for some classes of second and fourth order differential equations, *ordinary differential equations*, volume 3, pp. 103-202.
- [12] **Emmerich H.** : The diffuse interface approach in materials science. *Lecture notes in physics*, vol. M 73. Springer, Berlin, 2003.
- [13] **Feng X. L., Yang J.** : Nonlinear stability of the implicit-explicit methods for the Allen-Cahn equation, *inverse problem and imaging*, 7, 2013, pp. 679–695.
- [14] **Franz A., Christian K.** : Traveling waves for a bistable equation with nonlocal-diffuse, *math.AP*. December 24, 2013. pp. 1-45.
- [15] **Fusco G., Hale J.K.** : Slow-motion manifolds, dormant instability, and singular perturbations, *J. Dynam. Differential Equations* 1 (1), 1989, pp. 75–94.
- [16] **Henry D.** : Geometric theory of semilinear parabolic equations, *lecture notes in mathematics*, vol. 840, Springer-Verlag, Berlin–New York, pp. 1981.
- [17] **Jerald J. Kovacic** : An algorithm for solving second order linear homogeneous differential equations, *J. Symbolic Comput.* 2 (1), 1986, pp. 3–43.
- [18] **Kolmogorov A. N., Petrovsky I.** : Étude de l'équation de la diffusion avec croissance de la quantité de matière et son application à un problème biologique. *Bull. Univ. Moskou, ser. Internat., Sec. A*, 1 :1–25, pp. 1937.
- [19] **Nagumo J. , Yoshizawa S.** : Bistable transmission lines. *IEEE trans. Circuit theory*, 12, 1965, pp. 400–412.
- [20] **Paul F. Byrd, Morris D. Friedman** : Handbook of elliptic integrals for engineers and scientists, second edition, revised, *die grundlehren der mathematischen wissenschaften*, vol. 67, Springer-Verlag, New York–Heidelberg, 1971.
- [21] **Penrose, O., Fife, P.C.** : Thermodynamically consistent models of phase-field type for the kinetics of phase transitions. *Phys. D* 43(1), 1990, pp. 44–62.
- [22] **Satoshi K., Yoshihisa M., Shoji Y.** : A complete bifurcation diagram of the Ginzburg–Landau equation with periodic boundary conditions, *Commun. Pure Appl. Anal.* 4 (3), 2005, pp. 665–682.

- [23] **Satoshi K., Yoshihisa M., Shoji Y.** : Stationary solutions to the one-dimensional Cahn–Hilliard equation : proof by the complete elliptic integrals, discrete contin. Dyn. Syst. 19 (4), 2007, pp. 609–629.
- [24] **Schechter M.** : Principles of functional analysis, Academic Press, 1971
- [25] **Schmitt K., Thompson R. C.** : Nonlinear analysis and differential equations, an introduction, November 11, 2004.
- [26] **Shen J., Yang X.** : Numerical approximations of Allen-Cahn and Cahn-Hilliard equations, discrete contin. Dyn. Syst.-A 28 ,2010, pp. 1669–1691.
- [27] **Skellam J.G.** : Random dispersal in theoretical populations, Biometrika, 38, 1951, pp.196–218.
- [28] **Smoller J., Wasserman A.** : Global bifurcation of steady-state solutions, J. Differential Equations, 39, 1981, pp. 269-290.
- [29] **Song H., Jiang L., Li Q.** : A reduced order method for Allen–Cahn equations, Journal of Computational and Applied Mathematics, 2015, p. 3.
- [30] **Takamura K.** : The Heun equation and the Calogero–Moser–Sutherland system. I. The Bethe Ansatz method, Comm. Math. Phys., 235 (3), 2003, pp. 467–494.
- [31] **Wakasa T.** : Exact eigenvalues and eigenfunctions associated with linearization for Chafee–Infante problem, Funkcial. Ekvac. 49 (2), 2006, pp. 321–336.
- [32] **Wakasa T.** : On profiles of critical eigenfunctions for linearized problems of bistable reaction diffusion equations, 2014, pp. 79-91.
- [33] **Wakasa T.** : Study on pattern formation problems related with reaction-diffusion equations, A Dissertation Presented to Waseda University, March, 2007.pp. 1-100.
- [34] **Wakasa T., Yotsutani S.** : Asymptotic profiles of eigenfunctions for some 1-dimensional linearized eigenvalue problems, Commun. Pure Appl. Anal. 9 (2), 2010, pp. 539–561.
- [35] **Wakasa T., Yotsutani S.** : Limiting classification on linearized eigenvalue problem for 1-dimensional Allen–Cahn equation I — asymptotic formulas of eigenvalues, J. Differential Equations 258, 2015, pp. 3960–4006.

- [36] **Wakasa T., Yotsutani S.** : Limiting classifications on linearized eigenvalue problem for 1-dimensional Allen–Cahn equation II—asymptotic profiles of eigenfunctions, *J. Differential Equations* 261, 2016 pp. 5465–5498.
- [37] **Wakasa T., Yotsutani S.** : Representation formulas for some 1-dimensional linearized eigenvalue problems, *Commun. Pure Appl. Anal.* 7 (4), 2008, pp. 745–763.
- [38] **Walter W.** : Ordinary differential equation, Springer-Varlag New York, Inc. 1998.
- [39] **Whittaker E.T., Watson G.N.** : A course of modern analysis, Cambridge Mathematical Library, Cambridge University Press, Cambridge, 1996, an introduction to the general theory of infinite processes and of analytic functions; with an account of the principal transcendental functions, reprint of the fourth (1927) edition.
- [40] **Yuan L., Wei-Ming Ni, Shoji Y.** : On a limiting system in the Lotka–Volterra competition with crossdiffusion, *Discrete Contin. Dyn. Syst.* 10 (1–2), 2004, pp. 435–458.
- [41] **Zhang J., Du Q.**, Numerical studies of discrete approximations to the Allen-Cahn equation in the Sharp interface limit, *SIAM J. Sci. Comput.*, 31(4), 2009, pp.3042–3063.