
Bibliography

Bibliography

- [1] M. S. Agranovich and M.I. Vishik, Elliptic problems with a parameter and general parabolic problems, *Uspekhi Mat. Nauk* 19:3 (1964), 53-161.
- [2] Yu. A. Alkhutov, L_p -solubility of the Dirichlet problem for the heat equation in non-cylindrical domains, *Sbornik: Mathematics* 193:9 (2002), 1243–1279.
- [3] Yu. A. Alkhutov, L_p -Estimates of solutions of the Dirichlet problem for the heat equation in a ball, *Journ. Math. Sc.*, Vol. 142, No.3, (2007), 2021-2032.
- [4] V. N. Aref'ev, L.A. Bagirov, Asymptotic behavior of solutions to the Dirichlet problem for parabolic equations in domains with singularities, *Math. Notes* 59 (1) (1996), 10-17.
- [5] V. N. Aref'ev, L. A. Bagirov, Solutions of the heat equation in domains with singularities, *Math. Notes*, Vol. 64, No.2, (1998), 139-153.
- [6] A. Azzam, E. Kreiszig, On parabolic equations in n space variables and their solutions in regions with edges, *Hokkaido Math. J.* 9 (1980), 140-154.
- [7] A. Azzam, E. Kreiszig, On solutions of parabolic equations in regions with edges, *Bull. Austral. Math. Soc.* 22 (1980), 219-230.
- [8] E. A. Baderko, On the solution of the boundary value problems for parabolic equations of high order in domains with curvilinear lateral boundaries, *Diff., Urav.*, 12 (10) (1976), 1781-1792.

-
- [9] V. Besov, The continuation of function in L_p^1 and W_p^1 , Proc. Steklov Inst. Math. 89 (1967), 5 - 17.
- [10] H. Brezis, Analyse Fonctionnelle Théorie et Applications, Masson, Paris, 1983.
- [11] G. Da Prato, P. Grisvard, Sommes d'opérateurs linéaires et équations différentielles opérationnelles, J. Math. Pures Appl. IX Ser. 54 (1975), 305-387.
- [12] J. Dasht, J. Engström, A. Kufner and L.-E. Persson, Rothe's method for parabolic equations on non-cylindrical domains, Adv. Alg. Anal. 1 (2006), No. 1, 1-22.
- [13] S. P. Degtyarev, The solvability of the first initial-boundary problem for parabolic and degenerate parabolic equations in domains with a conical point, Sbornik Mathematics 201 (7) (2010) 999-1028.
- [14] E. G. Effros and J. L. Kazdan, On the Dirichlet problem for the heat equation, Indiana Univ. Math. J. 20 (1970/71), 683-693.
- [15] L. C. Evans, R. Z. Gariepy, Wiener criterion for the heat equation, Arch. Rat. Mech. Anal., 78, No. 4, (1982), 293-314.
- [16] Fichera, Alcuni recenti sviluppi della teoria dei problemi al contorno..., Convegno Trieste, 1954, Roma 1955, pp. 174-227.
- [17] A. Friedmann, Boundary estimates for second-order parabolic equations and their applications. Dokl. Akad. Nauk SSSR 134 (1960), 255-258.
- [18] M. Gevrey, Sur les équations aux dérivées partielles de type parabolique, Journ. Math. pures et appliquées, (6), 9 (1913), 305-471.
- [19] P. Grisvard, Caractérisation de quelques espaces d'interpolation, Arch. Rational Mech. Anal. 25 (1) (1967), 40-63.
- [20] P. Grisvard, Elliptic Problems in Nonsmooth Domains, Monographs and Studies in Mathematics 24, Pitman, Boston, 1985.

-
- [21] P. Grisvard, *Singularities in Boundary Values Problems*, Masson, Paris, 1992.
- [22] S. Hofmann, J. L. Lewis, The L^p regularity problems for the heat equation in non-cylindrical domains, *Journ. Funct. Anal.* 220 (2005), 1-54.
- [23] L. Hormander, *Linear partial differential operators*, Die Grundlehren der mathematischen Wissenschaften, Bd. 116, Academic Press, New York, Springer-Verlag, Berlin-Gottingen-Heidelberg 1963.
- [24] J. Kacur, Application of Rothe's method to non-linear evolution equations, *Mat. cas.* 25 (1975), 63-81.
- [25] J. Kacur, Method of Roth and non-linear parabolic boundary value problems of arbitrary order, *Czech .Math. J.* 28 (1978), No 4, 507-524.
- [26] A. Kheloufi, R. Labbas, B. K. Sadallah, On the resolution of a parabolic equation in a nonregular domain of \mathbb{R}^3 , *Differ. Equat. Appl.* 2 (2) (2010) 251-263.
- [27] V. A. Kondrat'ev, Boundary-value problems for parabolic equations in closed domains, *Tr. Mosk. Mat. Obshch.*, 15, (1966), 400-451.
- [28] V. A. Kondrat'ev, O. A. Oleinik, Boundary-value problems for partial differential equations in nonsmooth domains, *Usp. Mat. Nauk*, 38, No. 2, (1983), 4-76.
- [29] K. Kuliev, L.-E. Persson, An extension of Rothe's method to noncylindrical domains, *Appl. Math.*, No. 5, (2007), 365-389.
- [30] R. Labbas, B. Terreni, Sommes d'opérateurs linéaires de type parabolique. 1ère Partie, *Boll. Un. Mat. Ital.* 1-B (7) (1987), 141-162.
- [31] R. Labbas, A. Medeghri, B.-K. Sadallah, Sur une équation parabolique dans un domaine non cylindrique, *C.R.A.S, Paris*, 335 (2002), 1017-1022.
- [32] R. Labbas, A. Medeghri, B.-K. Sadallah, On a parabolic equation in a triangular domain, *Appl. Math. Comput.* 130 (2002), 511-523.

-
- [33] R. Labbas, A. Medeghri, B.-K. Sadallah, An L^p approach for the study of degenerate parabolic equation, *E. J. D. E.*, vol 2005 (2005), No. 36, 1-20.
- [34] O. A. Ladyzhenskaja, On solution of non-stationary operator equations, *Mat. Sbornik* 38, No 4. (1956).
- [35] O. A. Ladyzhenskaya, V. A. Solonnikov, N. N. Ural'tseva, *Linear and Quasi-Linear Equations of Parabolic Type*, A.M.S., Providence, Rhode Island, 1968.
- [36] E. Lanconelli, Sul problema di Dirichlet per l'equazione del calore, *Ann. Mat. Pura Appl.* (4) 97 (1973), 83-114.
- [37] E. Lanconelli, Sul problema di Dirichlet per equazioni paraboliche del secondo ordine a coefficienti discontinui, *Ann. Mat. Pura Appl.* (4) 106 (1975), 11-38.
- [38] E. M. Landis, Necessary and sufficient condition for the regularity of a boundary point for the heat equation, *Dokl. Akad. Nauk SSSR*, 185, No. 3, (1969), 517-520.
- [39] B. Iisena, Su un problema al contorno per un equazione parabolica in un angolo, *Ricerche Mat.* 29 (1980), 243-268.
- [40] J. L. Lewis, A. M. Murray, The method of layer potentials for the heat equation in time-varying domains, *Memoirs of the Amer. Math. Soc.* 545 (1995), 1-157.
- [41] J. L. Lions, Sur les problèmes mixtes pour certains systèmes paraboliques dans des ouverts non cylindriques, *Ann. Inst. Fourier (Grenoble)* (1957), 143-182.
- [42] J. L. Lions, J. Peetre, Sur une classe d'espaces d'interpolation, *Publ. Math. de l'I. H. E. S.*, Paris No. 19 (1964).
- [43] J. L. Lions, E. Magenes, *Problèmes aux Limites Non Homogènes et Applications*, 1, 2, Dunod, Paris, 1968.
- [44] J. L. Lions, *Quelques Méthodes de Résolution des Problèmes aux Limites Non Linéaires*, Dunod Gauthier-Villars, Paris 1969.

- [45] I.T. Mamedov, On the boundary properties of the solutions of the Dirichlet problem for second-order elliptic and parabolic equations, *Dokl. Akad. Nauk Ukrain. SSR Ser. A* 1981, no. 2, 18-22.
- [46] E. Martensen, The Rothe method for non-linear hyperbolic problems, *Equa. Diff. Lect. Notes Math.* 1192, (1986), 387-392.
- [47] V. P. Mikhailov, On the Dirichlet problem for a parabolic equation, *Nonlinear Mat. Sb.*, No. 1, (1963), 40–64.
- [48] V. Mikhailov, *Equations aux Dérivées Partielles*, Mir, Moscow, 1980.
- [49] O. A. Oleinik, E. V. Radkevich, A second-order equation with a non-negative characteristic form, *Mathematical Analysis*, (1969), 7-252.
- [50] O.A. Oleinik and E.V. Radkevich, *Second-order equations with non-negative characteristic form*, Plenum Press, New York-London 1973.
- [51] I. G. Petrovskii, Solution of a boundary value problem for the heat equation, *Uchenye Zapiski MGU*, No. 2, (1934), 55–59.
- [52] I. G. Petrovskii, Zur ersten Randwertaufgabe der Wärmeleitungsgleichung, *Comp. Math.* 1 (1935), 383-419.
- [53] B. Pini, Sulla regolarità e irregolarità della frontiera per il primo problema di valori al contorno relativo all'equazione del calore, *Ann. Mat. Pura Appl.* 40 (1955), 69-88.
- [54] J. Prüss, G. Simonett, Operator-valued symbols for elliptic and parabolic problems on wedges, *Operator Theory: Advances and Applications*, Vol. 168, (2006) 189-208.
- [55] E. Rothe, Zweidimensionale parabolische Randwertaufgaben als Grenzfall eindimensionaler Randwertaufgaben, *Math. Ann.* 102 (1930), 650-670.
- [56] B. K. Sadallah, Régularité de la solution de l'équation de la chaleur dans un domaine plan, *Boll. Uni. Math. Ital.* 5 (13-B) (1976), 32-54.

-
- [57] B. K. Sadallah, Une equation 2m-parabolique dans un domaine plan singulier, C.R. Acad. Sci. Paris Ser. A-B 287 (1978), 1025-1027.
- [58] B. K. Sadallah, Etude d'un problème 2m-parabolique dans des domaines plan non rectangulaires, Boll. Un. Mat. Ital., (5), 2-B (1983), 51-112.
- [59] B. K. Sadallah, The smoothness of the heat equation solution in a singular domain of \mathbb{R}^{n+1} , Arab Gulf J. Scient. Res. 4 (2) (1986), 563-571.
- [60] B. K. Sadallah, Smoothness of the singularity for the heat equation in a polygonal domain (Part Two), Arab Gulf J. Scient. Res. 9 (1) (1991), 153-178.
- [61] B. K. Sadallah, Regularity of a parabolic equation solution in a nonsmooth and unbounded domain, J. Aust. Math. Soc., 84 (2) (2008), 265-276.
- [62] B. K. Sadallah, A remark on a parabolic problem in a sectorial domain, Applied Mathematics E-Notes, 8 (2008), 263-270.
- [63] L. Sarason, Second-order equations of fixed type in regions with corners, Trans. Amer. Math. Soc. 261 (1980), 387-416.
- [64] G. Savaré, Parabolic problems with mixed variable lateral conditions: an abstract approach. J. Math. Pures Appl. 76 (1997), 321-351.
- [65] V.A. Solonnikov, On boundary-value problems for linear parabolic systems of differential equations of general form, Trudy Mat. Inst. Steklov. 83 (1965), 3-162.
- [66] A. N. Tikhonov, On the equation of heat conduction in several variables, Byul. Moskov. Gos. Univ. Sekts. A 1 (1937), 1-49.
- [67] H. Triebel, Interpolation Theory, Function Spaces, Differential Operators, North Holland, Amsterdam, 1978.
- [68] F. Weber, Method of Rothe for a hyperbolic equation with a non-linear boundary condition, Math. Nachr. 161 (1993), 369-380.