

Bibliographie

- [1] P. Acquistapace et B. Terreni : Some existence and regularity results for abstract non-autonomous parabolic equations, *J. of Math. Anal. Appl.*, Vol. 99, No 1 (1984), 9-64.
- [2] S. Agmon : On the eigenfunctions and on the eigenvalues of general elliptic boundary value problems, *Comm. Pure Appl. Math.* 15 (1962), 119-147.
- [3] A. V. Balakrishnan : Fractional powers of closed operators and the semigroups generated by them, *Pacific. J. Math.*, 10 (1960), 419-437.
- [4] F. Boutaous : Fractional powers approach of operators for the solvability of some elliptic PDE's with variable operators coefficients, *C. R. Acad. Sci. Paris, Ser. I*, 349 (2011), 969-972.
- [5] F. Boutaous, R. Labbas et B.-K. Sadallah : Fractional-power approach for solving complete elliptic abstract differential equations with variable-operator coefficients, *Electronic Journal of Differential Equations*, Vol. 2012 (2012), No. 05, 1-33.
- [6] H. Brezis : *Analyse fonctionnelle, Théorie et applications*. Masson, Paris, 1983.
- [7] M. Cheggag, A. Favini, R. Labbas, S. Maingot et A. Medeghri : Complete abstract differential equations of elliptic type with general Robin boundary conditions, in UMD spaces, *Discrete and continuous dynamical systems series s*, Volume 4, Number 3, June 2011.
- [8] G. Da Prato et P. Grisvard : Sommes d'opérateurs linéaires et équations différentielles opérationnelles, *J. Math. Pures et Appl.*, 54 (1975), 305-387.
- [9] N. Dunford et J. Schwartz : *Linear Operators, Part I*, New York, Interscience 1958. *Linear Operators, Part I*, New York, Interscience 1958.

-
- [10] A. Favini, R. Labbas, K. Lemrabet et B. -K. Sadallah : Study of a complete abstract differential equation of elliptic type with variable operators coefficients (Part I), *Rev. Mat. Complut.* 21 (2008), 89-133.
- [11] G. Dore et S. Yakubov : Semigroup estimates and noncoercive boundary value problems, *Semigroup Forum* Vol. 60 (2000), 93-121.
- [12] A. EL Haial et R. Labbas : On the Ellipticity and Solvability of Abstract Second-Order Differential Equation, *Electronic Journal of Differential Equations*, 57 (2001), 1-18.
- [13] A. Favini, R. Labbas, S. Maingot, H. Tanabe et A. Yagi : On the solvability and the maximal regularity of complete abstract differential equations of elliptic type, *Funkcialaj Ekvacioj*, 47 (2004), 423-452.
- [14] A. Favini, R. Labbas, S. Maingot, H. Tanabe et A. Yagi : Etude unifiée de problèmes elliptiques dans le cadre höldérien, *C.R. Acad. Sci. Paris, Ser. I* 341 (2005) 485-490.
- [15] A. Favini, R. Labbas, S. Maingot, H. Tanabe et A. Yagi : Complete abstract differential equations of elliptic type in UMD spaces, *Funkcialaj Ekvacioj*, 49 (2006), 193-214.
- [16] A. Favini, R. Labbas, S. Maingot, H. Tanabe et A. Yagi : Necessary and sufficient conditions for maximal regularity in the study of elliptic differential equations in Hölder spaces, *Discrete and Continuous Dynamical Systems*, Vol. 22, N 4, (2008), 973–987
- [17] A. Favini, R. Labbas, S. Maingot, H. Tanabe and A. Yagi : A Simplified approach in the study of elliptic differential equations in UMD spaces and new applications, *Funkc. Ekv.*, 51 (2008), 165-187.
- [18] J. A. Goldstein : *Semigroups of linear operators and applications*, Oxford University Press, Oxford, New York, 1985.
- [19] P. Grisvard : Spazi di tracce e applicazioni, *Rendiconti di Matematica* (4) Vol. 5, VI (1972), 657-729.
- [20] Hardy, Littlewood et Polya : *Inequalities*, Cambridge University Press.

-
- [21] M. Haase : The Functional calculus for sectorial operators, Birkhäuser Verlag, Basel-Boston-Berlin, 2006.
- [22] S. G. Krein : Linear differential equations in Banach spaces, Moscow, 1967, English translation, AMS, Providence, 1971.
- [23] A. V. Kuyazyuk : The Dirichlet problem for second order differential equations with operator coefficient (Russian) Ukrain Math, Zh, 37 (1985), n. 2, 256-273.
- [24] R. Labbas : Problèmes aux limites pour une équation différentielle opérationnelle du second ordre, Thèse de doctorat d'état, Université de Nice, 1987.
- [25] R. Labbas et B. Terreni : Sommes d'opérateurs linéaires du type parabolique et elliptique, C. R. Acad.Sci. Paris, 301, Série 1, n. 5 (1985).
- [26] R. Labbas et B. Terreni : Sommes d'opérateurs linéaires du type parabolique, 1ère Partie. Boll. Un. Math. Ital. 1-B, 7 (1987), 545-569.
- [27] R. Labbas : Condition d'ellipticité et résolution d'une équation différentielle abstraite complète du second ordre, Bolletino U.M.I (7) 8-A (1994), 413-424.
- [28] J. L. Lions : Théorème de trace et d'interpolation I et II. Annali S.N.S. di Pisa, 13, (1959), 389-403 et 14, (1960), 317-331.
- [29] J.L. Lions et J. Peetre : Sur une classe d'espaces d'interpolation, Inst. Hautes Etudes Sci. Publ. Math., 19 (1964), 5-68.
- [30] A. Lunardi : Analytic semigroups and optimal regularity in parabolic problems, Birkhäuser, 1995.
- [31] C. Martinez Carracedo et M. Sanz Alix : The theory of fractional powers of operators, North-Holland Mathematics Studies 187. New York, Elsevier Science, 2001.
- [32] A. Pazy : Semigroups of linear operators and applications to partial differential equations, Springer-Verlag, Berlin, Heidelberg, Tokyo, 1983.
- [33] E. Sinestrari : On the abstract cauchy problem of parabolic type in spaces of continuous functions, J. Math. Anal. Appli. 66 (1985), 16-66.

- [34] P. E. Sobolevskii : Equations of parabolic type in Banach spaces, Trudy Mouscou Math. Obsc. 10 (1961), 297-350 (Russian); English Transl. Amer Math. Soc. Transl. 49 (1965), 1-62.
- [35] H. B. Stewart : Generation of analytic semigroups by strongly elliptic operators under general boundary conditions, Trans. Amer; Math. Soc. 259 (1980), 299-310.
- [36] H. Tanabe : Equations of evolution, Monographs and Studies in Mathematics, Vol. 6, Pitman, London-San Francisco-Melbourne, 1979.
- [37] H. Triebel : Interpolation theory, fonction spaces, differential operators, Amsterdam, North Holland, 1978.
- [38] A.Yagi : On the abstract evolution equation of parabolic type, Osaka J. Math. 14 (1977), 557-568.
- [39] A.Yagi : On the abstract linear evolution equations in Banach spaces, J. Math. Soc. Japan, Vol. 28, No. 2 (1976), 290-303.